Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
U	1	"819180".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:42
L2	121	(multi or multiple) with (control\$4 or monitor\$3) with (schemas or workframe or xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:56
L3	2418	(search\$3 or quer\$3) with (form\$1 or templat\$3) with (control\$3 or monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:44
L4	1	2 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:44
L5	713	(multi or multiple) with (control\$4 or monitor\$3) with (schemas or workframe or xml or html or template\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:59
L6	49	5 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:57
L7	2	("7028028").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:59
L8	69	((multi or multiple) with (control\$4 or monitor\$3) with (schemas or workframe or xml or html or template\$ or (markup near language))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:02

L9	3	8 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:00
L10	26	((multi or multiple) with (control\$4 or monitor\$3) with (schemas or workframe or xml or html or template\$ or (markup near language))).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:11
L11	0	10 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:02
L12	742	((multi or multiple) with (control\$4 or monitor\$3) with (schemas or workframe or xml or html or template\$ or (markup near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:02
L13	4 9	12 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:03
L14	24	6 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 12:18
L15	6	6 and (707/4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:10
L16	3	6 and (707/3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:10

L17	1	6 and (707/5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:10
L18	1877	((multi or multiple or plurality) with (control\$4 or monitor\$3) with (schemas or workframe or xml or html or template\$ or (markup near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:12
L19	100	18 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:12
L20	50	19 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:12
L21	8	20 and (quer\$3 with (assembler or compil\$3 or execut\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 12:15
L22	6	((multi or multiple or plurality) near (search\$3 or quer\$3) near (form\$1 or templat\$2)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 12:18
L23	0	((multi or multiple or plurality) near (search\$3 or quer\$3) near (form\$1 or templat\$2)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 12:18
L24	27	((multi or multiple or plurality) near (search\$3 or quer\$3) near (form\$1 or templat\$2)).cim.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 12:18

L25	11	24 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 12:18
-----	----	-----------------------	---	----	-----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"819180".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:42
L2	121	(multi or multiple) with (control\$4 or monitor\$3) with (schemas or workframe or xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:56
L3	2418	(search\$3 or quer\$3) with (form\$1 or templat\$3) with (control\$3 or monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:44
L4	1	2 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:44
L5	713	(multi or multiple) with (control\$4 or monitor\$3) with (schemas or workframe or xml or html or template\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:59
L6	4 9	5 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:57
L7	2	("7028028").PN:	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:59
L8	69	((multi or multiple) with (control\$4 or monitor\$3) with (schemas or workframe or xml or html or template\$ or (markup near language))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:02

L9	3	8 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:00
L10	26	((multi or multiple) with (control\$4 or monitor\$3) with (schemas or workframe or xml or html or template\$ or (markup near language))).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:11
L11	0	10 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:02
L12	742	((multi or multiple) with (control\$4 or monitor\$3) with (schemas or workframe or xml or html or template\$ or (markup near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:02
L13	49	12 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:03
L14	24	6 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:12
L15	6	6 and (707/4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:10
L16	3	6 and (707/3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:10

L17	1	6 and (707/5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:10
118	1877	((multi or multiple or plurality) with (control\$4 or monitor\$3) with (schemas or workframe or xml or html or template\$ or (markup near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:12
L19	100	18 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:12
L20	50	19 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:12
L21	8	20 and (quer\$3 with (assembler or compil\$3 or execut\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:13

6/20/2006 12:08:33 PM Page 3

Sign in



Web Images Groups News Froogle Maps more »

configurable query form template subquery bro Search Advanced Search Preferences

Web Results 1 - 10 of about 243 for configurable query form template subquery browser assembler compi

DevTeach 2005 - Official Coverage

Subqueries could only appear in a WHERE clause in VFP 8; in VFP 9, ... Using the Web Browser Control is easy. Embed it on a form and call the Navigate ... www.devteach.com/Report/2005/ - 104k - Cached - Similar pages

Glossary

Garbage collection may be assisted by the **compiler**, the hardware, the operating ... that stores place **template** specifications and portlets **forms**, subforms, ... publib.boulder.ibm.com/infocenter/ rtnl0600/topic/com.ibm.gloss.doc/topics/glossary.htm - 158k - Cached - Similar pages

Glossary

Subject to configurable preferences, the workbench updates the local history each time an ... Processing may include the use of an assembler, a compiler, ... publib.boulder.ibm.com/infocenter/iadthelp/topic/com.ibm.iseries.glossary_adv.doc/topics/glossary.htm - 166k - <u>Cached - Similar pages</u> [More results from publib.boulder.ibm.com]

<u> Universal Thread Conference Coverage - DevTeach 2005</u>

For example, VFP 8 had limits on the number of joins, **subqueries** (and **subquery** ... Using the Web **Browser** Control is easy. Embed it on a **form** and call the ... www.utcoverage.com/DevTeach/2005/ - 124k - Cached - Similar nages

Marco Bellinaso's Blog - Wednesday, 31 May 2006

Among other things, you can specify how you want the pre-compiler to work, ... The query can't include subqueries, outer-joins or self-joins. ... www.dotnet2themax.com/blogs/ mbellinaso/default,date,2006-05-31.aspx - 293k - Jun 18, 2006 - Cached - Similar pages

Marco Bellinaso's Blog

NET Enterprise Services is not as easy as deploying a normal assembly, ... The query can't include subqueries, outer-joins or self-joins. ... www.dotnet2themax.com/blogs/mbellinaso/ - 291k - Cached - Similar pages [More results from www.dotnet2themax.com]

Neohapsis Archives - Freshmeat News - [fm-news] Newsletter for ... (at a minimum configurable bitrate) with one command line, even if the ... Changes: A new

title search capability, removal of subqueries (MySQL can't ... archives.neohapsis.com/archives/ apps/freshmeat/2001-06/0016.html - 110k - Cached - Similar pages

Neohapsis Archives - Freshmeat News - #0018 - [fm-news] Newsletter ... About: apoo is an environment for programming in a simple assembly language. ... About: Javac Compiler Helper, is a wrapper for javac standard compiler ... archives.neohapsis.com/archives/ apps/freshmeat/2004-06/0018.html - 96k - Cached - Similar pages

[fm-news] Newsletter for Wednesday, June 20th 2001

Changes: A new title search capability, removal of subqueries (MySQL can't do ... June

20th 2001 11:19 Header Browser helps you to create documentation from ... info.ccone.at/NEWS/msg00950.html - 89k - Cached - Similar pages

[fm-news] Newsletter for Friday, March 14th 2003

A bug with an aggregate sub-query inside an IN clause has been fixed. ... About: NASM is an 80x86 assembler designed for portability and modularity. ... info.ccone.at/NEWS/msg01574.html - 91k - Cached - Similar pages

Try your search again on Google Book Search

Goooooooogie ▶ 1 2 3 4 5 6 7 8 9 10 Next Result Page:

Free! Speed up the web. Download the Google Web Accelerator.

configurable query form template su Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google @2006 Google